



# GAL PROFILES

- FLATS
- ANGLES
- CHANNELS

## AUSTRALIAN STANDARDS

- AS/NZS 4791

### Flats

Size (mm)	Nominal Thickness (mm)	Mass (kg/m)	Available Lengths (m)
20	3	0.481	6.0
25	3	0.60	6.0
32	3	0.77	6.0
50	4	1.49	6.0
	5	1.84	6.0
65	4	1.94	6.0
	5	2.40	6.0
75	4	2.24	6.0
	5	2.77	6.0
100	4	2.98	6.0
	5	3.69	6.0
	6	4.71	6.0
130	8	6.28	6.0
	5	4.80	6.0
	6	5.53	6.0
150	6	7.07	6.0
	8	9.42	6.0
	5	7.38	6.0
200	6	9.42	6.0
	8	12.60	6.0
	5	9.22	6.0
250	8	15.70	6.0
	5	11.10	6.0
300	8	18.80	6.0



## Angles

Size (mm)	Nominal Thickness (mm)	Mass (kg/m)	Available Lengths (m)
30 x 30	2.5	1.06	6
40 x 40	2.5	1.43	6
	4.0	2.20	6
45 x 45	2.5	1.62	6
	4.0	2.50	6
50 x 50	2.5	1.81	6, 9
	4.0	2.79	6, 9
	5.0	3.42	9
	6.0	4.21	9
65 x 65	4.0	3.69	9
	5.0	4.52	9
	6.0	5.62	9
75 x 75	4.0	4.29	9
	5.0	5.26	9
	6.0	6.56	9
	8.0	8.59	9
90 x 90	5.0	6.37	9
	8.0	10.50	9
100 x 100	6.0	8.92	9
	8.0	11.70	9
125 x 125	4.0	7.27	9
	5.0	8.95	9
	8.0	14.90	9
150 x 150	5.0	10.80	9
	8.0	18.00	9



**Channels**

Size (mm)	Nominal Thickness (mm)	Mass (kg/m)	Available Lengths (m)
75 x 40	4.0	4.25	9
100 x 50	4.0	5.59	9
125 x 65	4.0	7.23	9
150 x 75	5.0	10.50	12
180 x 75	5.0	11.60	12
200 x 75	5.0	12.40	12
	6.0	15.50	12
230 x 75	6.0	16.90	12
250 x 90	6.0	19.20	12
300 x 90	6.0	21.60	12
	8.0	28.50	12